



# MM-315B

## Handheld Weld Checker

- Compact, economic and multi-functional weld checker
- Measures weld current, welding time, conduction angle
- Automatic power OFF feature saves energy
- Large LCD display allows data to be easily and conveniently viewed
- Memory function allows to save and recall data
- Includes a battery charger
- Cover panel is dust- and oil-proofa

### CONFIGURATION OPTIONS

The MM-315B is designed to check weld current, welding time and conduction angle with an easy to use handheld device in various industries such as Automotive, Electronics, Batteries, Medical, IT&Multimedia and Aerospace.

### THE IMPORTANCE OF QUALITY CONTROL FOR RESISTANCE WELDING:

The quality of resistance welding depends on the stability of the weld current, the welding time and the applied force. The MM-315B weld checker is designed to measure weld current and welding time and allows to monitor weld quality and weld stability.

### SUITABLE RESISTANCE WELDING UNITS:

Single phase AC:	OK
Single phase rectification:	OK
Three phase rectification:	OK
Seam:	n/a
Pulsation:	OK
DC inverter:	OK
AC inverter:	n/a
Capacitor:	n/a




**OPTIONAL TOROIDAL COIL MB-500-15**



Make sure that center of a coil contacts secondary conductor.

Both ends of a coil should be tied up with a velcro tape as illustrated.



**MEASURING RANGE OF WELD CURRENT**




**TECHNICAL SPECIFICATIONS**

Model	MM-315B			
Current	Measuring range	1.00 – 9.99 kA (Lo range) / 5.0 – 49.9 kA (Hi range)		
	Measurement mode	Arithmetic average RMS of measuring range		
	Accuracy	9.99 kA range	49.9 kA range	
		Single phase AC power supply: +/- (1% rdg +9 dgt)	Single phase AC power supply: +/- (1% rdg +3 dgt)	
		DC inverter power supply: +/- (1% rdg +15 dgt)	DC inverter power supply: +/- (1% rdg +5 dgt)	
	Start cycle of measurement	1 – 99 cycle		
	Finish of measurement	AC	DC	
2% or below of full scale		75% or below of previous cycle		
Display digits	3 digits			
Time	Measuring range	AC	DC	
		1 -99 cycle	1 – 40 cycle per 0.01 – 0.80 sec.	
	Measurement mode	All welding cycle or time		
	Accuracy	+/-0 cycle per +/-0.01 sec.		
Display digits	2 digits			
Conduction angle	Measuring range	30 – 80 degree		
	Measurement mode	Maximum conduction angle of measuring range		
	Accuracy	+/-9 degree		
	Display digits	3 digits		
Power source	Nickel hydrate battery 1.2 V x 4pcs (Time for continuous run: 10hrs)			

**WEIGHT & DIMENSIONS**

MM 315B = 500g

Dimensions in mm



Lindberghstrasse 1 • DE-82178 Puchheim, Germany  
T: +49 (0) 89 83 94 030 • Fax : +49 (0) 89 839403 68  
infode@amadamiyachi.eu • www.amadamiyachieurope.com  
ISO 9001 Certified Company



**EUROPE**

**Amada Miyachi Europe BV**  
Helmond, The Netherlands  
T: +31 (0) 492 542 225  
infoeu@amadamiyachi.eu

**Amada Miyachi Europe Kft.**  
Budapest, Hungary  
T: +36 1 431 9927  
infohu@amadamiyachi.eu

**Amada Miyachi Europe**  
Derby, United Kingdom  
T: +44 (0) 1332 361 238  
infouk@amadamiyachi.eu

**Amada Miyachi Europe**  
Saint Germain en Laye, France  
T: +33 (0) 139 046 430  
infofr@amadamiyachi.eu

**Amada Miyachi Europe**  
Torino, Italy  
T: +39 011 223 83 16  
infoit@amadamiyachi.eu

**Amada Miyachi Europe**  
Prague-West, Czech Republic  
T: +420 251 512 157  
info.cz@amadamiyachi.eu

**AMERICAS**

**Amada Miyachi America Inc.**  
Monrovia, CA, USA  
T: +1-626-303-5676  
info@amadamiyachi.com

**Amada Miyachi do Brasil Ltda.**  
Sao Paulo, Brasil  
T: +55-11-4193-1187  
antonio.ruiz@miyachi.com

**ASIA**

**Amada Miyachi Co., Ltd.**  
Noda, Japan  
T: +81-4-7125-6177  
sales@miyachi.com

**Amada Miyachi Shanghai, Co., Ltd.**  
Shanghai, China  
T: +86-21-6448-6000  
zqzhang@msc.miyachi.com

**Amada Miyachi Korea Co., Ltd.**  
Gyeonggi-do, Korea  
T: +82-31-8015-6810  
dykim@mkc.miyachi.com

**Amada Miyachi Taiwan Co., Ltd.**  
Taipei, Taiwan R.O.C.  
T: 886-2-2397-4778  
keigaku@miyachi.com

**Amada Miyachi (Thailand) Co., Ltd.**  
Samutprakarn, Thailand  
T: +66-2751-9337-8  
info@mtl.miyachi.com

**Amada Miyachi Vietnam Co., Ltd.**  
Ho Chi Minh City, Vietnam  
T: +84-8-3771-7972

**Amada Miyachi India Pvt., Ltd.**  
Bangalore, Karnataka  
info@miyachiindia.com

All data, images and text are subject to change at any time. Amada Miyachi Europe GmbH reserves the right to change, modify, delete and add technical specifications and product details at any time without prior notification. © 2015 Amada Miyachi Europe GmbH.

follow us on:

